List of apparatus, stock and block at the Government Central Distillery on the 1st January 1916.

rial No.		Descript	on	,		Orig	inal value	Add cost of renewals an additions		ue .
	4 21					.]	Rs. a. p.	Rs. s. p.	Rs. a. p	15
1	Country still with	worm pipe		٠	_		08 2 2		17-	2 .
2 3A	Condensing vat-		•••	***		··	45 0 0		45 0	
	2 1 G. M. Gland of 1 2" Stop cock		141	111		}	5 4 0	*****	5 4	0 -
3 4 i	1 Hydrometer lante No. 1 Coffey still (***	***	•	70.0	12 4 9 01 1 8	4,484 4 11		9
5	No. 2 do (n	iew)	,			90 B	75 15 5	3,234 11 0	22,610 10	5.
A. 6	2 G. M. Reducing 2 Spent wash vats	vaives with copper	coils			. 2	33 13 7	700 0 0	700 - 0 (283 13)
7	Balance old copper I Sample testing s	etc., from	English	stille		. 8	16 4 1		846 4	
9 [5 Spirit receiver va	te:		***			88 2 10 98 9 9		63 2 10 1,308 9 9	
A. 0	6 Steel beams unde 15 Spirit store vats		***			- ' ;	8 4 6	71 14 7	58 4 () [
1	5 Special liquor val	iS					17 19 5 12 0 1	71 14 7	8,219 11 0 442 0 1	
IA į	6 2" G. M. Plug coo.	ke :					180	21 9 0	53 1 0	. i
2	1 1" do 23 Sherry Butts	. •••	***	***	••	, J	ļ	. 22 5 0,	t .	1
1	2° do	- A-1		• •••			9 2 6	35 0 0	389 2 6 35 0 0	
A	4 do 4 Cox's patent fille	rs and 25 ar	irit coo	l.			3 2 10		63 2 10	
- 5	4º Brass cocks	TO COLOR DO GE		XX		.]	0 12 7 5 11 7	* ****	470 12 7 5 11 .7	
B [Stands for 23 Butts Do 2 do	***	***	, ,,,	***	3	2 6 10	286	32 6 10 2 8 0	<i>t</i> [
V	Do 4 do 16 Bottle racks	***		***	•••)	3 12 19		3 12 10	
:	2 Mixing vats each		***		***	59	779		597 7 9	46
	44 Wash do 24 Do do	1,200 1,600	144		***	0.00	, ,	0= 0' -	0.000 0.7	1
	1 Do charger	1,400	•••	•••	***	9,27	3 6 6	25 3 1	9,298 8 7	1
	16 New vats cach Wash vat covers	1,200		***	**	1 27	9 11	2,806 4 10	2,806 4 10 244 9 11	.
В	3 Copper strainers w	ith brass ro	d and va	alves ``		22			22 O G	
G	l W. I. Tank 20'×2 2 Condensors with o	u za opper cails.	pipes, e	tc., and 4	00D-	1,300		3,210 4 1	3,210 4 1 1,300 0 0	1
	per cisterns, etc., T. Iron bars supports	from No. 7.			_				· ·	
zĖ	l Galvanized iron ta	nk 4×4×4	CHIMIAN			29	2 2	100 0 0	100 0 0 29 2 2	
B.	Stand for above 1*1½" G. M. Flanged :	cock	***	117		, 1	6 10		1 0 10	
1	2'14" Brass flanges	***		***		} 5	15 2	111-114	5 15 2	
1.4	4 Feet 14" pure tin p 162 Feet T. W. Wash	ipej i channel		110	***	342	8 6	873	350 <u>1</u> 5 9	
	Sets brass rods and Sets fron hangers		***	144		90	7 11		90 7 11	
3 3	ft '9' copper pipe for	r wash with	Ö. I. F.	anges		67	3 3	486 7 7	67 3 3 486 7 7	
	''80 ft. Lancashir Bo Cornish Boiler	oiler	***	•••	}	4,720 517		682 11 8	5,403 13 9 517 3 3	
1	Portable Engine Cochranes vertical	h.:i''_	.**	***		361	6 2	25 0 0	386 6 3	
	W. I. Tank	Donet	·			205 9	10 7		205 10 7 9 0 0	
l	No. 5 G. M. Pulson Do do	aeter (No. 1 (No. 2)		404		503	1 4	89 0 5	536 1 9	
1	G. M. Rotary pump)	***	***		1,002 94	1 5 B	20 12 0	1,822 13 5 94 0 0	}
	C. I. Pulsometer Tangeys pump, (No	. 1)		•••	:::	252 312	5 0	71 12 0	252 5 0 383 14 0	
1	1.0 (No.	. 2)	***	***		460	0 0	69 7 0	519 7 0	
li	Spare barrels for d Worthington pump	for wash, 7	ֈ"×3 <u>ł</u> ″>	ر6"		419	12 5	2,071 14 0	419 12 5 2,071 14 0	
1	Worthington pump	(mixings) pump (boile	ri'''	***		766 260		43 4 10	810 3 7	·
2	Do do		. ***	***		425	0 0	22 8 0 13 0 0	282 10 7 438 0 0	٠.
1	Do do Directing, acting st	(apiri) eam pump) Svent.₩	ashi			10 9 14 10	11 1 0	399 10 9 133 15 10	
g v	Donkey pumps		90 (1)	•••		214	5 2		214 ŏ 2	F.,
1	A Frame pump (spir Rotary lift pump			н.	***	83 1 11		600	89 14 2 11 15 6	•
	Yeast propagator Lathe		•••	ter		990	101.8		990 10 3	
1	Drilling machine	***				.110 38	lt 0	,747 100 107 111	110 4 9 38 11 0	
1	Corking do Do do	***				24	1	175 10 0	24 13 2 175 10 0	٠.
2	Capsuling do	•••	•••				9.7	0240	83 9 7	
1	Do do Bettle stand	***		***		2 1		75 0 0	75 0 0 2 10 0	
1	Bottle washing macl		es jroange	***	144	770	2 0	••••	770 2 O J	
1	Bench vise Pipe vise	149		*** ****			7 8		27 7 3 21 0 0	
2 4	Sets atock tap and di English bellows					169	4 2		169 4 2	
į !	Tin casting bellows	***		***		9	1 3 5 7	******	9 5 7	
1 :	G. M. Bell and Iron ½' 2" Shafting, 1—3	stand 't., 1—12 ft.	 and 1—1	 I ft. mulle:			3 S 1 4		28 18 3 23 1 4	
4	Lengths 2" shafting	and 6 plum	ner bloc	ks	"	183		**	183 4 4	•
i		Scales.					}			
4 1	Platform scales					900		1	200 2 -	
	Beam do	***		P &=	[!	306	2 49 I		300 2 4 (

rial No.	1 Description		; 0	tigin a l	value	Add cost of renewals and a additions	Present value	Remarks
- 		· ·		Rs.	a. p.	Re. a. p.	Rs. a. p.	
47 48 49 50 50 A 51 52 53	6 Trollies 1,49 ft. Tram lines 50 Iron sleepers 245 ft. Madras rails 2 Copper charger tanks 1 Ito Intermediate tanks 1 Do Feints tanks 2 Copper boilers for bark with fir	a places, etc.		438 106 112 191 175 93	0 3	85 0 0	157 8 0 483 8 8 106 4 0 112 14 0 191 0 8 85 0 0 175 0 0 175 0 0	
54	Pure tin pipes— Recoiver 251 feet 2½" Watchouse 120 ,,			- 1 ,218	11 3	s . N5	.;1,218 11 8	<u>-</u>
56	87-25" brass flanges 217 lbs. 10-15" do 17 ,,	124 LEF	:::	103	6 3		103 6 3	•
55A	2" Nipples and caps 2	141		 } 16	1 7		16 1 7	
56	5 ft. copper pipe 10 ,, 11-2" G. M. Gland cocks 1-1" , Globe wheel valve 5-1" , Gland cocks	44 44 44 44 44 44 44 44 44 44 44 44 44		132	4 10	22 0 0	.154 4 10	
56A 57	Hangers, bands, etc., for pure to 100 feet 6" copper pipe 536; lbs.	n pipe		' 2: }	2 12 1ô		22 12 10	
	32 ", 2" do 96 ", 2 ", 1" do 3 ", 2 funnels to chargers 80 ", 800{ lbs.	***	•••	213	734		217 8 4	
58	4'3" brass flanges 12 lbs. 18'6" do 108 , 4'2" do 10 2'11 - do 3 ,,	111 144 7 144 141 114 141 144 111		3	8 8 9	***	· 1 38 6 9	
5 9	183 lbs. 1 copper basin under mixing va 5 feet 4° copper pipe 4 1, 8° do flanges	t, 10: lbs 221	480 410 110] }	·		16 4 5	
	·	641 lbs.	•) ^			217	
60	1 box on pillar 11 feet 4" copper pipe 20 , 3" do Copper pipe to No. 4 room 1S" brass flanges;	201 100 201 100 201 100 201 100 201 100		} } } . 45	2 1 7 32 9 11 27 4 11	******	32 9 11 427 4 11	
٠	4—3" to	***			6 14 11		: 6 14 11	
01	Connections of						34 0 · 0	
62 62 63 64 65 66	11" pure tin pipe, 40 lbs fron pipes, etc., still pumps	,		2 7	34 0 0 40 14 10 75 9 0 43 6 0 92 10 0 42 3 1	6 2	0 47 0 10 1 75 9 7 10 43 6 6 10 95 4 7 1742 8 2 19 6 10	
67 68 69	2 brass flanges Iron pipe receiver (water) Spares stock 1 set special hydrometer A Hydrometers and thermom	eters -	`		6 4 1 15 15 4 37 1 123 13	6 1,178 0	6 4 10 15 15 6 1,178 0 0 37 1 0 123 13 6 40 0 0	
70	1 set gravity heads and to ny 12 backets 10 tubs	YLOMeter Rinsses	: ::	: } 1	40 0 135 12 1	l.	135 12 10	,
71	90 tubs and cover for 40 Wire netting, store shelves, h t hand trolly	and trucks cran	e and lift		88 8 1	15 0	88 ,8 10 15, 0 0 ,231 10 6) [
72 73	I cash chest Clock, aimirah and table Tables, etc. Brackets, etc.	## ## ## ## ## ## ## ## ## ## ## ## ##	• • • • • • • • • • • • • • • • • • •		931 13 39 6 86 5 15 1 46 8	7	39 6 6 4 86 5 2 4 46 3 8	7 3
74 75		s. etc.		::	20 2 318 2	0 16 1	0 20 2 0	0

No. Ro9048-Ft. 43-14-14, dated 22nd March 1916.

The Government of His Highness the Maharaja of Mysore are pleased to direct that the following be substituted for Rule 9 of the rules issued with Government Order No. R. 10775-6—Ft. 81-08-5, dated 21st June 1909, for the conduct of prospecting and mining operations in State Forests and the District Forests.

Rule 9. The licensec or lessee shall:—

- (a) pay a lump sum compensation for damage and disfigurement of the surface on allareas operated upon or cleared, at the following rates:—
 - In State Forests, reserved lands or in District Forests which have been specially brought within the scope of these rules.
- (i) Rs. 100 per acre for high and pole forests.
- (ii) Other forests including scrub Rs. 50 per acre.
- (2) For railways and tramways, and for roads on which traction engines are used, at the foregoing rates.
 - (3) For ordinary cart-tracks and foot-paths, at the rate of Rs. 25 per mile.
- (b) undertake not to cut sandalwood except with the permission of the Forest Department and on payment of an extra charge to be fixed by Conservator, and
 - (c) make over to the Forest Department all the trees felled in the area operated upon.
- N.B.—The decision of the Conservator of Forests as to whether any particular forest is high, pole or scrub shall be final.

No. R. 9102-L. R. 46-15-9, dated 23rd March 1916.

Under Section 11 of the Land Revenue Code, 1888, Mr. T. Narasinga Rao, Deputy. Amildar, attached to the Hiriyur Taluk, for special duty in connection with the Block System of Irrigation under the Marikanave Reservoir, is invested with the powers of an Amildar in respect of the following matters within the local limits of the Marikanave Channels Hobli and he will continue to exercise them so long as he remains on special duty.

- 1. Entertainment and disposal of darkhasts, vargavargis, rajinamas, etc., of the forty-one villages of the Marikanave Channel Hobli.
- 2. Maintenance of all the usual registers of darkhasts, vargavargis, rajinamas, etc., and of all account matters in his office.
- 3. Maintaining separately such accounts as may be necessary for the purpose of showing the extent of channel lands under holding, extent available for cultivation, demand, collection and balance of land revenue assessment and water-rate separately for channel lands.
- 4. Collection of land revenue of the villages comprised in the special hobli and adoption of coercive measures that may be necessary.
- 5. Control over the village officials of the aforesaid 41 villages with the power of fining them to the extent prescribed by the rules under the Land Revenue Code for neglect of duty (but not of recovering the fine).
- 6. Furnishing all accounts and other particulars of these villages for incorporation in the Taluk accounts and returns.

No. R. 9103-L. R. 46-15-9, dated 23rd March 1916.

It is hereby notified for information that the channel villages noted below in the several hoblis of the Hiriyur Taluk are temporarily constituted into a separate hobli called the Marikanave Channel Hobli, until further orders:—

Names of villages to be constituted into a special hobbi. Names of hobbi in which they are at present included. Names of hobbi in which they are at present included. Names of hobbi in which they are at present included. Names of hobbi in which they are at present included. Names of hobbi in which they are at present included. Marikanave Range, Hiriyur Kasaba hobbi. Names of hobbi in which they are at present included.

10. Parmenhalli

¥

Names of villages to be constituted into a special hobli	· ·	Names of hobli in which they are at present included	
II. Maskal	}	Vitari	
12. Kudlahalli		* ***	
13. Yelanadu			
14. Toresaluagenballi *			
15. Hutchavanhalli			
16. Babbur		·	
17. Bochapur			,
18. Krishnambadi			
19. Uppalgere	•••]	4	
-20. Samudravahalli			
21. Kasavanhalli	}	Kiriyur Kasba hobli.	
22. Alur			
23. Budipura			
24. Hiriyur	[
25. Lakkavanhalli			
26. Patrehalli	[
27. Pittali	}	•	1
28. Nandihalli	••••		
29. Yerachikenhalli	ļ		
30. Adivala			, ,
31. Lakkanhal			
32. Somerhalli	ل		
33. Vaddinhalli	•••} .	Javangondanahalli hobli.	
34. Bagganadukaval	٠		,
35. Huvinbole	•••	Dharampur hobli.	
36. Kundalgura)	•	
37. Biderkere	•••	•	. (
38. Ambalgere	•)	. ·	
39. Toreobengalli	}	Aimangala hobli.	
40. Hemdal	•…	*	
41. Byderhalli			

No. R. 9123-L. R. 16-15-26, dated 25th March 1916.

The following panchayet has been constituted in respect of Sannakere and Doddakere in Bharmasagar Village, Chitaldrug Taluk:—

Ex-officio Members.

- 1. (Patel) Mr. Murdappa (Chairman).
- 2. (Shanbhog) Mr. Bheemasena Rao.

Elected Members.

- 3. Mr. Amkundi Sannappa.
- 4. "Basetti Rudrappa.
- 5. " Durgada Dasappa.
- 6. "D. Veerabasappa.

No. R. 9157-L. R. 188-14-73, dated 25th March 1916.

Under Section 7 (a) of the Mysore Tank Panchayet Regulation, 1911, a Panchayet consisting of the following members is constituted for the Tumkur village in respect of the Tumkur Amanikere.

Ex-officio.

- 1. Mr. Channappa, Patel of Amanikere.
- 2. " Siddanarasaiya, Shanbhog, Amanikere.

Elected.

- 3. Mr. Bhavikatte Channabasavaiya, Landholder, Tumkur.
- 4. " H. R. Ramakrishnaiya, Landholder, Tumkur.
- 5. " Dasappa; Shanbhog, Tumkur.
- 6. , Chikveeregowda, Patel, Bibbur.
- 7. " Adappa Setti, Merchant, Tumkur.

No. 7154-L. B. 63-15-8, dated 24th March 1916.

Under Rule 19 of the Revised Rules under the Local Boards Regulation, II of 1902, Mr. Annegowda, Patel and Coffee Planter of Mugali village, is appointed a member of the Manjarabad Taluk Board in place of Mr. Menasamakki Nanjegowda, deceased.

No. 7191-L. B. 83-15-9, dated 27th March 1916.

Under Section 6 of the Land Acquisition Regulation, VII of 1894, it is hereby declared that the land described hereunder is required for a public purpose, viz., for constructing a latrine to the musafirkhana at Chamrajnagar; and under Sections 7 and 3 (c) of the said Regulation, the Assistant Commissioner in charge of Nanjangud Sub-Division is directed to perform the functions of a Deputy Commissioner and is authorised to take order for the acquisition of the said land:—

	15.8	das . Z	wet or in extent		- <u>*</u>	i z	Extent now required		Boundaries			
District Taluk Hobli Village	Name of khat Cor owner	Survey D	Dry, wet	Total ext Kharab	Remaining extent	Assessment	Extent	Assess- ment,	Eyet	West North	South	
Mysore Chamrajnagar Kasaba Hobli Chamrajnagar Town	Mahipati Rao		Vacant site	E.W. 38 ft. N. S. 60 ft.		:	E. W. 12 ft. N. S. 80 ft.	- ;	Venkatagiriaiya's vacant site.	Brahma Devapandits bouse. Road	Сопянуянся запе	

No. 7183 Ml. 6-15-23, dated 25th March 1916.

Under Sections 10, 11 and 17 of the Municipal Regulation, VII of 1906, and the Rules framed thereunder, the following gentlemen are elected or appointed as Municipal Councillors of Nanjangud Town with effect from the 28th March 1916:—

Elected under Section 10 (1) (a).

- Mr. V. Bhandiah.
- 2. " E. Krishnappa.
- " P. Papanna.
- 4. " T. K. Ahmed Sahib.
- 5. ,. E. Rama Rao.

Appointed under Section 10 (1) (b) (i).

- 6. Mr. K. Venkatasamiah, B.A., B.L., Advocate.
- 7. " C. Guru Rao, Pleader.
- 8. ,, A. Venkatanaranappa, Landholder and Proprietor, Sarada Rice Mill.
- 9. ,, B. Subba Rao, Pleader.
- 10. " P. Srinivasa Setti, Merchant.

Appointed under Section 10 (1) (b) (ii).

- 11. The Assistant Commissioner, Nanjangud, Sub-Division, President.
- 12. The Amildar, Nanjangud Taluk.
- 13. The Sub-Assistant Surgeon, Nanjangud.
- 14. The Assistant Engineer, Nanjangud.
- 15. The Sub-Registrar, Nanjangud.

No. 7234-Ml. 166-15-6, dated 28th March 1916.

Under clause 2 (a) of Section 23 of the Municipal Regulation VII of 1906, Mr. K. Ven-katasamaiya, B.A., B.L., Municipal Councillor, is appointed Vice-President of the Nanjangud Municipal Council with effect from the 28th March 1916 till the end of June 1917.

No. 2250 - Muz. 317.15-5, dated 22nd March 1916.

Under Section 6 of the Land Acquisition Regulation, VII of 1894, it is hereby declared that the lands described hereunder are required for a public purpose, viz., for constructing a charitable institution and under Section 7 of the said Regulation, the Deputy Commissioner in charge of Kolar District is authorised to take order for the acquisition of the said lands:—

Boundaries	East Wost North South	14 16 16		Yellappa's vacant Nollappa's vacant site.	Do	11	:	Muniyappa's Vacant site	Do Do		ilyappa's Muninarayan Devappa's house Do and site. Chetty's garden.
guired	Absons- ment		Ba. o.	Rosd	<u>й</u> . ;	ÅÅ ::		Vella site.	:	A### 	: :
Extent now required	Extent	173	A. g.	1233 sq. yds.	303 sq. yds. or 5 anka-	name. 63± sq. yds. 158\$. 98	583 10 an ka-	льше. 61 га. удя. 94 п	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
	ү ввөзаше <u>п</u>	11	Ra. a.	:	:	11	:	ī		11	;
3	Remaining extent	10	Ft. ft.	37, 30,	26' 104'	19, 30, 84, 17,	30, 13,	48' 18'	24' 23'	25, 225, 18, 47,	, <i>t</i> p. ,81
	Кћатађ		. 8. 8.	:	•	::	ŧ	:	:	; ;	:
gı	notra latoT	**	Ft. ft.	37. 80'	.\$01 .9E	19, 80,		48, 18,	24, 32,	25, 38, 47	18, 47,
60, 6, 5d,	to read of the total of the tot			Vacant site	Mad roofed	Backyard		Vacant site	Mud roofed building.	Backyard Vacant sits	backyard. Vacant site
10	Survey No.	8		1990	å	Do			Å,	Do 1324	2013
Names of khatodars		2		1. Kambli Totada Muniappa	2. Do	Do.	4. Branna, son of Lempins	Haiam Hanumantha		8. Do on of Siddapps	Davi
	Villago	80				E M	1810 (CT 1	Я			
	լարդ <u>բ</u>	<u> 63</u>	_				18 0	K			

In charge, Revenue Department. Secretary to Government, P. G. D'Souza, By. Order,